

509 Water St. Bolivar, OH 44612 Phone: 330-455-1181 Fax: 330-455-1191

## Quickstrip-A® Blast Abrasive

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations according to Federal Regulations according to

Revision date: 11/13/2015 Supersedes: not applicable Version: 1.0

### SECTION 1: Identification of the substance/mixture

**Product Identifier** 

Product form: Plastic Abrasive

Substance name: Polyplus Plastic Blast Abrasive (Type II)

CAS No.: 9004-34-6 1344-28-1 Formula: CH4N2O AL2O3

Synonyms: Dense Particle Abrasive Intended Use Of The Product

Use of the substance/mixture: Depainting

Name, Address, And Telephone Of The Responsible Party

US Technology Media Inc. 509 Water ST., Bolivar OH. 44612

330-455-1181

**Emergency telephone number** 

Emergency number : 330-874-3094

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call US TECHNOLOGY – Day or Night

### SECTION 2: Hazards identification

Classification of the substance or mixture

**GHS-US classification** Eye Irrit. 2A H319

Label elements GHS-US labeling

**(1)** 

Hazard statements (GHS-US) : H319 - Abrasive Dust irritant: Causes serious eye irritation

**Precautionary statements (GHS-US)** : P280 - Wear PPE - Dust mask and eye protection.

## SECTION 3: Composition/information on ingredients

#### **Substances**

Name	Product Identifier	%	GHS-US classification
Polymerized Urea/Melamine Formaldehyde Compound w/ Alpha Cellulose Filler	(CAS No.) <b>9004-34-6</b> <b>9011-05-6</b>	98%	Amino Thermoset Molded Plastic
Anti-Static Agent – Cal Stat 600	2764-13-8	>1%	Amino Thermoset Molded Plastic
Pigments and Additives	5280-80-8 13463-67-7 12769-96-9	<2%	Amino Thermoset Molded Plastic
Fused Aluminum Oxide	1344-28-1	>1%	

## SECTION 4: First aid measures

### **Description of first aid measures**

First-aid measures general: If material is airborne, remove person from exposure.

First-aid measures after inhalation: Go to well ventilated area, keep in a position for comfortable breathing, call

Physician if symptoms persist.

First-aid measures after skin contact: Flush skin with water and soap.

First-aid measures after eye contact: Rinse cautiously for several minutes with water, remove contact lenses, if possible.

First-aid measures after ingestion: Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Eye irritation.

## Quickstrip-A® Blast Abrasive

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after skin contact: Skin rash.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

### SECTION 5: Firefighting measures

**Extinguishing media** 

Suitable extinguishing media: Alcohol foam, water, carbon dioxide, dry chemical.

Unsuitable extinguishing media: None.

Special hazards arising from the substance or mixture

Fire hazard: Highly flammable liquid and vapor.

**Explosion hazard: F**lame will form toxic vapors; avoid inhalation of smoke or vapors.

Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire.

Protection during firefighting: Firefighters should wear full protective gear with independent breathing air.

### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

General measures: Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. –

No smoking. Avoid breathing. Use only in a well-ventilated area. Handle in accordance with good

industrial hygiene and safety practice.

#### For non-emergency personnel

Protective equipment: Use appropriate personal protection equipment (PPE).

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders

Protective equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency procedures: Ventilate area.

### **Environmental precautions**

Prevent entry to sewers and public waters.

### Methods and material for containment and cleaning up

For containment: Contain spill, then place in suitable container. Sweep or vacuum.

Methods for cleaning up: Clear up spills immediately and dispose of waste safely.

### Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

### SECTION 7: Handling and storage

### Precautions for safe handling

Additional hazards when processed: None.

**Precautions for safe handling:** Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing. Use only in a well-ventilated area. Wear recommended personal protective equipment.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### Conditions for safe storage, including any incompatibilities

Technical measures: None.

Storage conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible products: Strong acids. Strong bases. Strong oxidizers.

Incompatible materials: Heat sources.
Storage area: Keep in dry place.
Special rules on packaging: None.
Specific end use(s): Filler.

11/13/2015 EN (English) 2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 8: Exposure controls/personal protection

### **Control parameters**

<b>Dense Particle Abrasive (CAS</b>		
USA ACGIH	ACGIH TWA (ppm)	
USA ACGIH	ACGIH STEL (ppm)	
USA OSHA	OSHA PEL (TWA) (mg/m3)	
USA OSHA	OSHA PEL (TWA) (ppm)	

#### **Exposure controls**

Appropriate engineering controls : Ensure all national/local regulations are observed. Gas detectors should be used

when flammable gases/vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Ensure adequate ventilation, especially

in confined areas.

Personal protective equipment : Insufficient ventilation: wear respiratory protection. Protective goggles. Gloves.

Hand protection : Wear protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear Long Sleeve Shirt.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, NIOSH approved

respiratory protection should be worn.

Thermal hazard protection : Wear suitable protective clothing.

Other information : When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: Dry powderAppearance: Grey powderColor: Grey

Odor : Grey : None

Odor threshold: No data availablepH: No data availableRelative evaporation rate (butylacetate=1): No data available

Melting point : 500 °F

Freezing point : No data available : Not applicable **Boiling point Flash Point** : Not applicable **Auto-ignition temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available Vapor pressure : Not applicable. Relative vapor density at 20 °C : No data available Relative density : No data available Density : No data available Solubility : Insolvable

Solubility: InsolvableLog Pow: No data availableLog Kow: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data availableExplosive properties: No data availableOxidizing properties: No data availableExplosive limits: Not applicable

Other information: No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

**Reactivity** Non-reactive.

Chemical Stability Stable under recommended handling and storage conditions (see section 7).

Possibility Of Hazardous Reactions Non-reactive.

Conditions To Avoid Avoid ignition sources. Heat. Sparks. Open flame.

**Extremely high or low temperatures. Incompatible Materials** Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products Carbon oxides (CO, CO2). May release flammable and toxic gases.

## SECTION 11: Toxicological information

### Information on toxicological effects

Acute toxicity : Not classified

Dense Particle Abrasive (CAS No.) 9004-34-6 1344-28-1	
LD50 oral rat	No Data Available
LD50 dermal rabbit	No Data Available
LC50 inhalation rat (mg/l)	No Data Available

Skin corrosion/irritation: Not classified

**Serious eye damage/irritation**: Causes serious eye irritation.

Respiratory or skin sensitisation: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified.

Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

Symptoms/injuries after inhalation: Causes coughing.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting.

### SECTION 12: Ecological information

### **Toxicity**

Dense Particle Abrasive (CAS No.) 9004-34-6 1344-28-1	
LC50 fishes 1	No Data Available
EC50 Daphnia 1	No Data Available
LC50 fish 2	No Data Available
EC50 Daphnia 2	No Data Available

### Persistence and degradability

Dense Particle Abrasive (CAS No.) 9004-34-6 1344-28-1	
Persistence and degradability	Not

### **Bioaccumulative potential**

ense Particle Abrasive (CAS No.) 9004-34-6 1344-28-1	
BCF fish 1	No Data Available
Log Kow	No Data Available
Bioaccumulative potential	Not established

#### Mobility in soil

No additional information available

Other adverse effects

**Other information** : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### Waste treatment methods

**Regional legislation (waste):** U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing – 40 CFR261.2 Characteristic solid hazardous waste for Cd if in excess of 1 ppm, Cr if in excess of 5 ppm, or Pb is in excess of 5 ppm.

11/13/2015 EN (English) 4

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 14: Transport information

In accordance with ICAO/IATA/DOT/TDG

**UN** number

UN-No.(DOT) : Not applicable DOT NA no. Not applicable

**UN proper shipping name** 

Department of Transportation (DOT) : 1 - Class 1 - Flammable and combustible liquid 49 CFR 173.120

: No Limitation

: No Limitation

**Hazard Classes** PLASTIC POWDER

Hazardous labels (DOT) : Irritant

Packing group (DOT) : 1 - Low Danger

DOT Special Provisions (49 CFR 172.102): IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2);

Composite (31HZ1). Additional Requirement:

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk

temperature during transport.

**DOT Packaging Exceptions (49 CFR** 

**DOT Packaging Non Bulk (49 CFR** 

173.xxx)

173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

**Additional information** 

: No Limitation

**Emergency Response Guide (ERG)** : No Limitation

Number

Other information : No supplementary information available.

Transport by sea

**DOT Vessel Stowage Location** : Below deck MFAG-No. : Not applicable

Air transport

**DOT Quantity Limitations Passenger** 

aircraft/rail (49 CFR 173.27)

: Not applicable

**DOT Quantity Limitations Cargo aircraft** 

only (49 CFR 175.75)

: Not applicable

## SECTION 15: Regulatory information

#### **US Federal regulations**

	RCRA – Disposal per 40CFR 261.2
_	Not Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **US State regulations**

State or local regulations U.S Massachusetts - Right To Know List	
	U.S New Jersey - Right to Know Hazardous Substance
List U.S Pennsylvania - RTK (Right to Know) List	

5 07/01/2015 EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: Other information

Indication of changes : 11/13/2015

Other information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Eye Irrit. 1	Mild eye damage/eye irritation Category 1
H319	Causes serious eye irritation

NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no

treatment is given.

NFPA fire hazard : 0 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive

with water.

### **HMIS III Rating**

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom) - US Only

07/01/2015 EN (English) 6